Ford Tri-bar Running Pony Rear Decklid Emblem Installation (05-09) All

List of Tools Needed

- ✓ Scotch or protective tape and foam
- ✓ Prying tool- pliers, screw driver
- ✓ Hair dryer (optional)
- ✓ Alcohol prep pad

Before Picture

The emblem is damaged and needs replaced.



Emblem Removal Procedure

- 1. The emblem is tightly adhered to the trunk with the adhesive.
- 2. In order to remove the emblem, protective tape should be applied to the surrounding areas in order to prevent scratches during removal.



- 3. There are several ways to go about prying the emblem off of the trunk.
- 4. If the center piece is already cracked off, there will be a small hole near the top left corner of the center part of the emblem that can be used as leverage for prying.
- 5. If the center piece is not already cracked off, them the best approach may be to start prying from the top of the emblem.



6. If the emblem doesn't want to budge then heating it with a hair dryer may be a way to loosen the adhesive on the back of the emblem.

7. Once the emblem begins to peel, a pair of pliers should pull it the rest of the way off.



- 8. Once the emblem is removed use your fingers to peel off the remaining adhesive.
- 9. The adhesive should roll off.
- 10. Use an alcohol wipe to prepare the clean surface.



- 11. Remove the backing from the adhesive of the new emblem.
- 12. Align the emblem around the key hole and press firmly onto the trunk.



13. Enjoy the result!

After picture



Installation Instructions written by AmericanMuscle Customer Lance Rose 06.02.2014