

NO PART OF THIS DOCUMENT MAY BE REPRODUCED WITHOUT PRIOR AGREEMENT AND WRITTEN PERMISSION OF FORD PERFORMANCE PARTS


Please visit www. performanceparts.ford.com for the most current instruction and warranty information.

PLEASE READ ALL OF THE FOLLOWING INSTRUCTIONS CAREFULLY PRIOR TO INSTALLATION. AT ANY TIME YOU DO NOT UNDERSTAND THE INSTRUCTIONS, PLEASE CALL THE FORD PERFORMANCE TECHLINE AT 1-800-367-3788

Kit contains: (lea) Boost cluster (2ea) Retention clips

Warning: this operation should be performed while vehicle interior is warm!

Release the clips and remove <u>RH</u> instrument panel trim panel. Use the General Equipment: Interior Trim Remover






NO PART OF THIS DOCUMENT MAY BE REPRODUCED WITHOUT PRIOR AGREEMENT AND WRITTEN PERMISSION OF FORD PERFORMANCE PARTS

Release the clips and remove the instrument panel center finish panel. Use the General Equipment: Interior Trim Remover

Disconnect electrical connector.






NO PART OF THIS DOCUMENT MAY BE REPRODUCED WITHOUT PRIOR AGREEMENT AND WRITTEN PERMISSION OF FORD PERFORMANCE PARTS

ICM Removal

2. Remove the 4 screws and remove the ICM.




E188336

ICM Installation

- 1. To install new ICM with boost gauge, reverse the removal procedure.
- 2. Install the two clips on ICM



NO PART OF THIS DOCUMENT MAY BE REPRODUCED WITHOUT PRIOR AGREEMENT AND WRITTEN PERMISSION OF FORD PERFORMANCE PARTS



Panel with gauge Installation

- 1. To install, reverse the removal procedure. Verify that all retention clips are installed on panels.
- 2. Plug in electrical connector. Install panels.

