


Mustang Taillight Cover Installation Guide (99-04)



The below installation instructions work for the following products:

- **1999-2004 Mustang Smoked Tail Light Covers**



99-04 Tail Light Cover Installation Guide:

What you will need:

- Any general cleaning agent (Such as soap water)
- Two small hand towels (Micro fiber cloths work also)
- Alcohol wipes (Two Included)
- Tail Light Covers (Included)

Installation Instructions:

1. First, thoroughly clean both of the tail lights and the tail light covers with your soapy water. Then, dry them and repeat if necessary. This is done so that the finished product won't have any fingerprints or dust that is visible when the brake lights are on.
2. Once both the tail lights and tail light covers are visibly clean, use the alcohol wipes provided to further clean the tail lights. You are given two so use one for each tail light. If you don't clean off even the smallest amounts of dust, you risk the double sided tape not sticking properly.



3. Remove the tabs from the double sided tape and align the tail light covers with the top-outside corner of the tail lights. Then, press the tail light covers onto the tail lights.



4. Quickly make sure the tail light covers are lined up the way you want them to be, because the double sided tape will quickly bond after a few seconds. If the edges don't look like the following picture, quickly remove them and try again.



Congratulation! You've installed your tinted tail light covers. Enjoy driving that aggressive 'stang you've always wanted.

Installation instructions provided by AmericanMuscle customer Ryan Graham

Find more **how-tos**, **instructions** and **videos** at www.americanmuscle.com!